

Odorstolgie flate of fiver or chiseses of the teeth.





from the depends upon 3 tomas -1: The the Junes which delateles them from the tathe, and in solving exposes the lower part of the beth to the action of the cold air, to hot ligeurs, and to various kinds of initating Drinks & aliments. The buth in this case become borowen or dark colonied from the Cop of that nomishment they Derived from the Ortaries which are torn 2 a Duay of the enamel of the tooth, in consequence of which the love of the losth is exposed to Cold, and all the issitants before monthined. This Duay is the effect of inflower? I have you and then of sclass bute.

3 to discuse in the root of the tooth aprendants. I discuse in the grown or the invent, of the enumel, or insued by too much prepure uponet, This Discuse shows itself in tumors which Jogo borretimes suppresente on the external puet of the los jaw bones. This discore occurs only in the Consine and ynolares teath.

a

6

The bountulgie State of fever. The teeth are provided with asteries, and breves, of course they to are hely et to discuse, and that disease generally partales more of less of fuer. This contiguity to the gumo, jan bone, & brain, and their connection with the whole hystern under this forcer on serious I distreping. in infortion. The pain in this from is togerisites chill-aute- Judoping I so esquisite at times, as to induce timpoo: -rang madnep. Dypunce. anthre antes this ainte & Chronis. - In both it terminates when left to itself in what I shall call flanguare of the texto, that is in a driving of the texto 3 in gran souts of the tresty the Chronic form is some - times un auforn panied with pain.

e

V It is unknown in the worthern parts of Europe itiss where the Cold, and heat are not often alternated, & where they succeed cach other gradually. It is unknown likewise in the tropical Climates where the inhabitants do not use cold drinks, and live in an atmos: - phere of an uniform temperature. go to 3./2

0

0

1

0

8


Ito courses are direct and indirect. I The Direct Causes of it are the alternate action of warm and cold air to the body. hence it occurs more frequently in the Spring and antenna, when the weather is variables than at any other time. V 2 The alternate actions of hot & cold liquos to the till. The Inhabitants of It Witte who alone of all the west havia Islanders Danish very cold water, are the only pupple in the Islands who are afflicted with the tooth ach. Ispense informed me that he From more teette in Immer than at any Other time. The cause of this greater fuguency of the disease which required this operation, is owing to the to great cotoness of the water in our city, & perhaps to the great ice of iced liquous in the Summer months. 3 There are united the dut courses

0,

al

1

1 =




which are said to induce the tooth ach. - That Lyan. 3 all such holes lances as conside the tretter such as unripe finits - the univeral arids, and tooth punders composed of consine matters, also the foul & conscive matters which which which remain in the teeth after caling, on which which are discharged from the tethafter they become comous. If what wer offers violence to the trethe so - This includes so biting hard helplanes, on the jaw bone hard apples, or Other articles of alienant to peices but hard full full lemons as are not very with they teeth the teeth - and were withing hard from the teeth - and were withing them with hard & rough tooth power =1100. -

V have been emmerated produce the bolinoing effects. go top: 1 V These effects of the tooth ach become afternands predisposing causes to it, de capone to fuguerat attaches of it from all its event causes formuly monthoned. But they all tometimes take place without previous pain. In this respect they are upon a forting with many of the Vune discuss we have mentioned, of of the disorders which thou thurselves without any of privious Discore - as Schirmo - peterbio - prophula -

legar & latt, and aminal for handeun supproved to dispose to this disease. But They produce it only when they art upon a bon never in a dunyed tooth, and then sellow exite more than a temporatey pain. It is true falt when taken in ment often produces the Senery which by dipoling the gens losens & destations out the teeth, but this is a reserve totally Different from that which Last produces as a direct Strinches to the teeth. 2000 2 The indirect causes of tooth ach are Gout-Rhusmatism and Dyspepsia. The Gout sometimes throws the buth out of Their Sockets. 2 certain hours hours partiful all the courses of twolk hich which V There is a purchanity in this discase which is worthy of notice. It sometimes when fixed in one toother affects, another on the

Page That was 1. The state of the last 1 1 6 d 0 h L Q

opposite side of the jaw, and at the same dis. - tance from the extreme tooth of the sound Tide with itself. It has turn called the Lynn - pathetic tooth ach. of the Remedies for looth lich. I'm Scholl mention is 1: This thould be estraction when practice - cable. But it is sometimes forbidden by the impospibility of discovering the affected both, from the pain being diffused through the whole side of the jan, - by It is forbidden bihusiae by fear in pregnancy, in which Syneope might induce abortion - and by a dangerous predisposition to homomhage which belongs to some persons & wen to Whole families. It is literaise often preven - to by the hvelling of the face & jaw which endersit impossible to inhorne an in-- It ment into the mouth In these



Cons we must have reconste 2 to Bleeding. This should be general when the funer brings the whole hystern into hystern por at Leasons in which Dungrows fives are exsiderrice. I have knownit to occur fire times just before an attach of the yellow finer. US: mobably the lives of four of the persons who were afferlis by it. The person in whom it was omitted, died. When the discuse is local, total blue - Ding Often cures it. This may be done ley cutting the gum of the affected tooth with a lancet, and when the external part of the law is affected, by aups, and These reduce the four & lepen pain. Luches. 4 Blisters to H behind the cars often

V they may be used where the two formes are objected to, or connot be proused. 2 Keuffer rewinended a Blister to be mitted spon the grun by applying a little Cotton to it wetter with the hintere of Courthard: mude by infining halfan Smit of wine . The Strants inslantly removes the discuse. Bibliothe vol. 1. & a sig or raison rousted and applied to the tooth often extracts the pain - Volometimes by probeing a hulling on mull besiell. La Churing Tobacco, also the Rud. Pyrethri, by depleting and creating a Counterftimulus & de briging on depletion from the affected Josephines, particularly furth from Jame effect, by acting indirectly in the Jame manner alound & loufsugar inful for to I have known Garlie applied to the

----and the same of th 一种一种一个一个一个 10 1 A MANUAL TO THE PARTY OF THE PA 4 h The state of the state of A Company of the Comp

folis of the feet, and even hotoing the feet to the fire, Until the heat is sensibly felt, relieve the pain of this disease. I Town foy, such as the unaperted fight of a friend, terror & fear excited often by the hight of a tooth drawer origing his cold ison, have often chased away this pain and were presented the recurrence of the disease. 108. Landamern. Whenthe above ownedies His should be trahen in large doses till case be obtained. Opium thould be put, when practicable into the hollows too the.

119 Esternal applications should be used to the jour, wehas opium combined with has ginger or pepper - or liquid leather. mistand applied behind the ears Often gives relief.

the second second second 1 gu The same of the sa 1/2 Commence of the second second 0 le Se la ... • 16 10 p and - Pub - her h t En 19 was a graph of 1 -DE =7 -

These are the Remedies when it is induced by direct courses, when it brought only general Disceres, or by discesses of Other, parts of the body, the Remedies Chould be auruniorated to them. If it anompany bilions Juen. Bruches are useful. mm Townsend ways he has twice wered it by this remedy, when it arises from Lyspyria the Remedies for that disease should be prescribed. De Lister Days he often uned it in himself by taking half a glass of the brandy. - Its occasional Commention with a weak tone of the flower is Demonstrated by its being often cured or suspended by a full meal. The polliative remedies before mentioned th? not be Danitto while the aline ratical he medies are used for booth ach from its india - rect causes.

6: ca 062 43 35 it an C 2 la ne ke 3.4 06 2 16% de 2 Andreas . 1. . is f 13

If any of the above objections to drawing a duayed tooth should operate after the paroxy? of the disease is cured, the hiddsonin Cavity in it thousa be filled with gold leaf, or the base neve in it thould be distroyed by human constit, thiret: Cantharid: or and hot & iven contined for that purpose. But Objections to the astraction decayed lath thous not be tollerated for light nesons by a physician. For it they keep up a constant predisposition to a tetum of the tooth ach. 2 They sunte or efferse a malter of so conssive a smalter as to ex I often to movie When in the cheeps & bragul.

difolie the adjoining, or inferior teeth polis matter comodes were thefileer of which the privates of artificial teeth use made. 3 they impair madication, and they amon the food more difficult of digestion, It's bring on Dyspepsia, & general ill health. Is They impart to the buth a disagreable boor.

For of hule. I once som it induce fore on the vive which yield only to the extrestion of a duay of took. Jere low. The eyes I believe often experienthine with this disease - here the teeth which extend to their evots towards the autore are called extents.

The second second

A CONTRACTOR OF THE PARTY OF TH

AND SHALL BEEN AND THE REAL PROPERTY.

6

7

uj

box

6

0

5

22

2

2

5 they induce external tremos on the upper and lower jaws. These turnors are way to be cured by the extraction of the too duayed tooth, or teeth & which welking causes. When neglected, they haps supporte . I one saw this Suppuration, penebate the jaw bone & bring on heti Sever and death. Where the extraction of a tooth or teeth from the upper jaw does not remove the tremon, the antourn maxillare should be perforated throthe Tochet of the estracted tooth. I would this discase a few years in a gentleman from South arolina, but not till I had Disuted hinto lose eight or vine of his upper tuth, all of which were decayed. 6, and lastly they are the inlets of several distreping discores . you will not be surprised at this when you redlet what timble commotions

ine

rec

the

V morbid existement in the hungs. The less pain they give the more apt they are to induce general dis-- case. In this respect they resemble the injuries done to the fort or hand by a wail. The lefs the wounded part influences , the more - the danger of Teturns.

1

2

0 <

The

ñ

-


00

bruth

are lometimes saited in the hysternby a hudle, on Splainter lightly wounding a finger or a toe . Dyspessia, Ihmeratism, vertigo, madrep, an Obstinute Intermittent, pulmonary Consumptions, & Obstructed muses have all been in conveyed into the Lystern by a duayed toolte, or tuth, & meety all of them but One, cured by their extraction. Thor the particulars of these cases, Irefer you to my letter to smailler pur bhis hed in the andical Repository. Those Cases thould lead us to inquire into the flate of the lath in all Chronic diseases. I have benefitted by then in in the Case of a Laty in Brunswich who is mady recovered of a Consumption, whose cure I began by Directing the extraction of six or eight dreaged beth ashimps of buth, which mounted the due mastifation of her food, & which I duspested were in many inlets to

I from their Sochets, and burne looses when not used, hence we observe the lop of the tath of the lower jan soon [to to + 14. fo 4 The with Imm - and veg: hird are all more hundered single decayed tooth with with a fett of to wary other tooth perfectly wound & beautiful. At This whitery rotten both arises from De the its being to much prefice by adjoining 2 & surrounding teeth as to perish from At the want of murishment. It should 1to be extracted immediately, or the disease as 2 will expead this the bohole j'an . I have 06known a mumber of inotheres of adway 90 on the lette bring this cheehed. Doffmer evidined the useach from his bory - cate & distroy with Other, if they grow to closely.

They give the more deliver a fine directions in L for obtaining good letter for preservingthem 4. afterwards, and for obtaining Lebstitutes Afril for them when lost. 4 I Let the will tutte be extracted as four as ry they become losse, thouly to enable the E serond beth to become straight & regular. 2, If the last disposition appears in any of ing Them to grow irregularly, let them be kept n thaight by either wire con Francing the W adjoining with lath before they are losse. se Erosher beth like deformity in otherparts of the body, always disposes to disease. They me generally duay soon, while regulars and ny hamsame buth are generally lasting. u 3 hem ove a dreaged tooth as soonit becomes 14 painful, or as soon as you are unales 0 to chen with it: The tooth Tour project V h_



4 14 Fto follow the decay & lops of the teeth of the upper jan. This you went to tette require exercise to preserve their health from the walt of employment by winewastly by living wholly one for the incisores teeth to project from the walt of employment by winewastly are unable teether after a wind to the enamel of & toother a while to bring their molans together prevents from the principle of a while to bring their molans together prevents from the apoispe. I a while to bring their molans together to the taken by the apoispe. I all the first when mentally to the taken by the apoispe. ho Protect the head of Jams from Cold, With June by slessing an a warm night cap. - By this means the warmth of the body in equalized in bud. The Finnely propola who live in a variable. Climate have excellent teeth, which they owe to sleeping. in woolen right Caps abshired your cars, in Cold water, and your tieth with water that is tempered by the fire, or I tanding all right in the warm air. \$6 wash your teeth every with meal, and by all particularly after Supoffer.

the grows are disordered, or the lette love.

The religion of food by Hagnating on the whole right greating be consisted. Is avoid the top alternate application of hot and cold drinks or food to them in a grick Draupion. & & avoid using the teeth for purposes for which they were not intended, Such as esting hierory muits, bending nails, and when him on when biting the nails of the fringers, on the ends of thread. I women weathers this fore teeth by the last practice. 19 to Graguently & conspally remove the Tartar from the roots of the teeth. Apriming this vonrishment, and thus lovens & destroys them. 10 all ourid, and consine tooth powders thould be avoided - also too The five powder of thereval is a safe & wiful Dentifice. a week foliation

11 V Brown & black Spots on the With though be removed by a file. The former arise from internal - the letter from edamal Causes. The teeth never Decay after 50 years of age. They generally become loose, and Davis out, or athere to the gum only after to for string lights. protesses.

of a vig: alkali is worth or contentent th application to the teeth. It dipoles the rner matters which cleave to them , I thereby m Joupans the way for their being washed out of the month. It moreover prevents the breath being tainted by the 10 2 imposities of unsound teether theres tes I have known Joap used for the same purpose with advantage. It gives a whilings to the teeth. V extracting the beeth Irefer you to furgical books; I shall only observe that they are extracted with the least pain whenthing are not inflamed, is When they do not ach, & that patients bear the operation with the most Consult immediately of: tes be cating a hearty dinner.
The loss of the testh is loss of the lieth to beauty; I much & mostifation Lane Irech that art has supplied several



Substitutes for them. There are tutte for human trette extracted from poorprople, & sustenly placed in the Sochets of Decayed Ones. The tooth here does not mite with The blood respects of the Socheto. This has hunground by a wooden tooth becoming equally from in the Sochet of a dog, topon the root of the artificial toothe Draying in that dipoling in the Jochet, while the Other part is perfectly sound. In short the tooth asheres to the law bone only as a trail asheres to hood. a dry toothe the? always be prefered to a recent one, it being more Durable, & less apt produce initation - inflam & Ulucation all of which have Often heen produced by this operation. I cannot ruoman? This practice. It is painful, dangerous seldom last most than h, or 5 years.

